

 **Patons**

C 4507
19-20 in

4 PLY



Jacket, Bonnet, Bootees and Mitts

Measurements

Jacket

To fit chest

46-51 cm
18-20 in

Finished length, approx

29 cm
11 1/2 in

Sleeve seam, approx

14 cm
5 1/2 in

Bonnet

Width round face

30 cm
12 in

Mitts

Length

11 cm
4 1/2 in

Bootees

Length of foot

10 cm
4 in

Quantities

Patons Fairytale 4 ply (Tumble dry) (4300) or Fairytale Spot Prints 4 ply (Tumble dry) (4264)

Jacket

3 50 gram balls

Bonnet

1 50 gram ball

Bootees

1 50 gram ball

Mitts

1 50 gram ball

Quantities of yarn are approximate as they are based on average requirements.
Check actual yarn colour - as printing may not match yarn exactly.

Pair each Patons 3 mm (USA 3) and 3 1/4 mm (USA 3) needles. Shirring elastic and 3 buttons for Jacket. Length of ribbon for Bonnet, Bootees and Mitts.

Tension

On 3 1/4 mm needles, 28 sts and 36 rows to 10 cm (stocking st).

It is important to check your tension before starting your garment. If there are too many stitches to 10 cm, your tension is tight and you should change to a larger size needle. If there are too few, your tension is loose and you should change to a smaller size needle.

Caution

It is essential to work to the stated

tension, and we cannot accept responsibility for the finished product if any yarn other than the specified yarn is used.

Abbreviations

K=knit; P=purl; st=stitch; **stocking st**=1 row K, 1 row P; **garter st**=every row K; **tog**=together; **tbl**=through back of loops; **Inc**=increase by working into front and back of st; **dec**=decrease by working 2 sts together; **beg**=beginning; **alt**=alternate; **rep**=repeat; **cont**=continue; **meas**=measures; **foll**=following; **rem**=remain(ing); **RS**=right side; **WS**=wrong side; **cm**=centimetres; **In**=inches; **mm**=millimetres; **sL1K**=slip 1 knitways; **sL1P**=slip 1 purlways; **yfwd**=yarn forward; **pssso**=pass slip st over; **patt**=pattern; **0**=no st, row or

time to be worked in this size; **M1**=make a st by picking up horizontal loop lying before next st and working into back of it.

U.S.A. Glossary

Cast off=bind off; tension=gauge; knit up=pick up and knit; stocking st=stockinette st; yarn forward, yarn over needle or yarn round needle=yarn over.

JACKET

BACK AND FRONTS

With 3 mm needles, cast on 209 sts.

**Starting with a K row, work 2 rows stocking st.

Next row - K1, *yfwd, K2tog; rep from * to end (picot formed).

Starting with a P row, work 3 rows stocking st.**

Change to 3 1/4 mm needles and patt thus:

Row 1 - K1, *sL1K, K1, pssso, (K1, yfwd) twice, K1, K2tog, K1; rep from * to end.

Row 2 and every alt row - P.

Row 3 - As row 1.

Row 5 - K1, *yfwd, sL1K, K1, pssso, K3, K2tog, yfwd, K1; rep from * to end.

Row 7 - K1, *K1, yfwd, sL1K, K1, pssso, K1, K2tog, yfwd, K2; rep from * to end.

Row 9 - K1, *K2, yfwd, sL1K, K2tog, pssso, yfwd, K3; rep from * to end.

Rows 11, 13 and 15 - As rows 5, 7 and 9.

Row 16 - P.

These 16 rows form patt.

Rep these 16 rows twice more, then rows 1 to 15 again, thus ending with WS facing for next row.

Divide for Fronts and Back

Keeping patt correct, work thus:

Next row - P50, cast off 4 sts, P101 (including st on needle after cast-off), cast off 4, P to end.

Next row - Patt 48, work 2tog, turn and slip rem sts on a spare needle. Cont on these 49 sts for Right Front.

Work 1 row. Dec 1 st at armhole edge on next row. Work 6 rows.

Next row - P2, (P3tog, P1, P2tog, P1)

6 times, P3tog, P1 (28 sts).

Break yarn and leave these sts on a spare needle.

With RS facing, rejoin yarn to centre 101 sts, for Back.

Keeping patt correct, dec 1 st at each end of next and foll alt row (97 sts). Work 6 rows.

Next row - P7, (P3tog, P1, P2tog) 14 times, P6 (55 sts).

Break yarn and leave these sts on a spare needle.

With RS facing, rejoin yarn to rem 50 sts for Left Front.

Keeping patt correct, dec 1 st at armhole edge on next and foll alt row (48 sts). Work 6 rows.

Next row - P1, P3tog, (P1, P2tog, P1, P3tog) 6 times, P2 (28 sts).

Break yarn and leave rem sts on a spare needle.

SLEEVES

With 3 mm needles, cast on 57 sts and work as Back and Fronts from ** to **.

Change to 3 1/4 mm needles and work the 16 rows patt as for Back and Fronts twice, then rows 1 to 15 again.

Shape top

Keeping patt correct, cast off 2 sts at beg of next 2 rows. Dec 1 st at each end of next and foll alt row (49 sts). Work 5 rows.

Next row - P5, (P3tog, P3) 7 times, P2 (35 sts).

Break yarn and leave rem sts on a spare needle.

YOKE

With RS facing and 3 1/4 mm needles, slip sts on left-hand needle thus: 28 sts of Left Front, 35 sts of first Sleeve, 55 sts of Back, 35 sts of second Sleeve, then 28 sts of Right Front (181 sts).

Shape yoke

Row 1 - (RS), *(K3, K2tog) twice, (K2, K2tog, K3, K2tog) twice*; rep from * to * twice more, (K3, K2tog) twice; rep from * to * 3 times, K3 (143 sts).

Rows 2, 3 and 4 - K.

Row 5 - K10, (K2tog, K9) 11 times, K2tog, K10 (131 sts).

Row 6 - P.

Rows 7 to 10 - K.

Row 11 - K10, (K2tog, K8) 11 times, K2tog, K9 (119 sts).

Rows 12 to 16 - As rows 6 to 10.

Row 17 - K9, (K2tog, K7) 11 times, K2tog, K9 (107 sts).

Rows 18 to 22 - As rows 6 to 10.

Row 23 - K9, (K2tog, K6) 11 times, K2tog, K8 (95 sts).

Rows 24 to 28 - As rows 6 to 10.

Row 29 - K4, (K2tog, K3) 17 times, K2tog, K4 (77 sts).

Change to 3 mm needles and starting with a P row, work 3 rows stocking st.

Next row - K1, *yfwd, K2tog; rep from * to end (picot formed).

Starting with a P row, work 3 rows stocking st. Cast off.

MAKE UP

Do not press.

Join sleeve seams. Sew Sleeves to Back and Fronts.

Fold hems at picot holes on lower edge, neck and Sleeves to WS and sew in place.

Left Front Border

With RS facing and 3 mm needles, starting at seam of hem at neck, knit up 74 sts down front edge, working through both thicknesses at lower edge. K 3 rows. Cast off knitways.

Right Front Border

Work as for Left Front Border, with the addition of 3 buttonholes on 2nd row, first to come level with first set of ridges on Yoke, 2nd level with 3rd set of ridges and 3rd level with 5th set of ridges.

To make a buttonhole: yfwd, K2tog.

Thread 2 rows of shirring elastic together along top of hem on Sleeves. Sew on buttons.

Do not dry handknits in harsh sunlight as fading or yellowing may occur.

You may tumble dry your garment with confidence in any domestic tumble dryer at temperatures of up to 60°C. Recommended by Hoover.

BONNET

With 3 mm needles, cast on 73 sts and work as Back and Fronts of Jacket

from ** to **.

Change to 3 1/4 mm needles and work the 16 patt rows as on Back and Fronts of Jacket, then rows 1 to 15 again.

K 3 rows, placing a marker at each end of last row.

Work as for Back and Fronts of Jacket from ** to **.

Shape crown

Row 1 - (K7, K2tog) 8 times, K1.

Rows 2, 3 and 4 - K.

Row 5 - (K6, K2tog) 8 times, K1.

Row 6 - P.

Rows 7 and 8 - K.

Row 9 - (K5, K2tog) 8 times, K1.

Row 10 - K.

Row 11 - (K4, K2tog) 8 times, K1.

Row 12 - P.

Row 13 - (K3, K2tog) 8 times, K1.

Row 14 - K.

Row 15 - (K2, K2tog) 8 times, K1.

Row 16 - K.

Row 17 - (K1, K2tog) 8 times, K1.

Row 18 - P.

Row 19 - (K2tog) 8 times, K1 (9 sts).

Break yarn. Thread end through rem sts, draw up and fasten off securely.

MAKE UP

Do not press.

Join back seam from crown to markers.

With WS facing, mark a row 2 rows on each side of row of holes for picot before shaping for crown. Oversew these 2 rows together, thus forming picot hem on RS.

Fold hem to WS at picot holes round face edge and sew loosely in position.

Neck Border

With RS facing and 3 mm needles, knit up 48 sts along lower edge. K 4 rows. Cast off knitways.

Make rosettes with ribbon, leaving ends to tie and stitch to sides of Bonnet.

Do not dry handknits in harsh sunlight as fading or yellowing may occur.

You may tumble dry your garment with confidence in any domestic tumble dryer at temperatures of up to 60°C.

Recommended by Hoover.

BOOTEES

With 3 ¼ mm needles, cast on 40 sts.

Row 1 - Inc in first st, K18, inc in each of next 2 sts, K17, inc in next st, K1.

Row 2 - K.

Row 3 - Inc in first st, K20, inc in each of next 2 sts, K19, inc in next st, K1.

Row 4 - K.

Row 5 - Inc in first st, K22, inc in each of next 2 sts, K21, inc in next st, K1 (52 sts).

K 4 rows. P 1 row. K 5 rows.

Starting with a P row, work 5 rows stocking st.

Next row - K1, *yfwd, K2tog; rep from * to last st, K1 (picot formed).

Starting with a P row, work 3 rows stocking st.

Shape foot

Row 1 - K30, sL1K, K1, pssso, turn.

Row 2 - sL1P, K8, P2tog, turn.

Row 3 - sL1K, K8, sL1K, K1, pssso, turn.

Rows 4 and 5 - As rows 2 and 3.

Row 6 - sL1P, P8, P2tog, turn.

Row 7 - As row 3.

Rep rows 2 to 7 once more, then rows 2 to 6 again.

Next row - sL1K, K to end.

Next row - P across all sts (34 sts).

Next 2 rows - K.

Next row - K1, *yfwd, K2tog; rep from * to last st, K1, thus forming holes for ribbon.

Patt thus:

Row 1 - (WS), K.

Row 2 - K.

Row 3 - P.

Rows 4, 5 and 6 - K.

These 6 rows form patt.

Rep these 6 rows once more, then rows 1 and 2 again.

Change to 3 mm needles and starting with a P row, work 3 rows stocking st.

Work picot row, then a further 3 rows stocking st. Cast off loosely.

MAKE UP

With WS facing, mark a row 2 rows on each side of row of holes for picot, then oversew these 2 rows together, thus forming a picot hem on RS round top of foot.

Join foot and leg seams.

Fold hem to WS at picot holes and sew loosely in position.

Thread ribbon through holes at ankles.

Do not dry handknits in harsh sunlight as fading or yellowing may occur.

You may tumble dry your garment with confidence in any domestic tumble dryer at temperatures of up to 60°C. Recommended by Hoover.

MITTS

With 3 mm needles, cast on 37 sts.

Starting with a K row, work 2 rows stocking st.

Next row - K1, *yfwd, K2tog; rep from * to end (picot formed).

Starting with a P row, work 2 rows stocking st, thus ending with a K row.

Change to 3 ¼ mm needles and patt thus:

Row 1 - (WS), K.

Rows 2, 3 and 4 - K.

Row 5 - P.

Row 6 - K.

These 6 rows form patt.

Rep these 6 rows once more.

Next row - K.

Next row - K1, *yfwd, K2tog; rep from * to end, thus forming holes for ribbon.

Next row - K.

Starting with row 4, cont in patt until 7 sets of ridges, including holes for ribbon, have been worked, ending with row 3.

Shape top

Row 1 - K3, (K2tog, K4) 5 times, K2tog, K2 (31 sts).

Row 2 - P.

Row 3 - K2, (K2tog, K3) 5 times, K2tog, K2 (25 sts).

Row 4 - K.

Row 5 - K1, (K2tog, K2) 5 times, K2tog, K2 (19 sts).

Row 6 - K.

Row 7 - K1, (K2tog, K1) 6 times, (13 sts).

Break yarn. Thread through rem sts, draw up and fasten off.

MAKE UP

Do not press.

Fold hem at picot holes to WS and sew loosely in position.

Thread ribbon through holes and tie in a bow.

Do not dry handknits in harsh sunlight as fading or yellowing may occur.

You may tumble dry your garment with confidence in any domestic tumble dryer at temperatures of up to 60°C. Recommended by Hoover.



To help you keep your handknits looking their best, we recommend Dreft Automatic.

We shall be pleased to deal with your queries if you write enc. a ball band of the yarn specified and a s.a.e. to Knitting Queries Dept. Patons & Baldwins Ltd., Alloa, Scotland FK10 1EG or phone 0259 723431.

Published by PATONS & BALDWIN LTD

WARNING - COPYRIGHT All Patons patterns are protected by the law of copyright and may not be reproduced either by photocopying or any other means. They are sold on condition that they are used only for non-commercial purposes. All other rights are expressly reserved by Patons & Baldwins Ltd.



5 013712 306969